

Monitor QuietBackTM Carpet Tiles

Specifications

Application	Floor		
Backing	Felt polyester		
Pile content	Solution dyed nylon		
Style	Multi-level textured loop pile		
Recycled content	Backing made from >85% recycled PET		
Dimensions	250 x 1000mm		
Thickness	8mm +/- 10%		
Tiles per box	20		
Classification	Commercial Extra Heavy Duty*		
	*conditions apply		

*conditions apply

Guarantees

Wear warranty	20 years*
Castor chair proof	20 years*
Anti-static	Lifetime*
Colorfastness warranty	20 years*

Shipping



QuickShip

QuickShip products can be despatched within 24 hours.

Technical Data

Fire test method	AS/ISO 9239.1-2003	
Critical heat flux	Mean result 4.9kW/m²	
Smoke deviation rate	Mean result 187%.min	
Dimensional stability	-0.05%	
Electrostatic propensity	<0.3000 kv	
Thermal resistance	0.2m²K/W	
Total VOC test method	SCS-EC10.3-2014 v4.0 meeting standard CDPH/EHLB Standard Method v.1.2-2017	
Total VOC result	≤ 0.5mg/m³ or less	
Colorfastness test method	I ISO 105-B02	
Rating	6-7	
Mildew and Odour		
	HN 0028-2004 Determination of Mildew Growth and Odour on Trim Material. Rating = satisfactory	

Sustainability



Red List Free Declare Label



Environmental Product Declaration in accordance with ISO 14025 and EN 15804. ACCS, Environmental Certification Scheme Level 4 Compliant






Test method	ASTM C423-09a: Sto Sound Absorption a Coefficients by the F				
Rating method	AS ISO 11654 -2002 absorption - Materi				
Test results	NRC 0.35 SAA 0.35				
	1.20 <u> <u> </u> </u>				

z Sou



Performance Indices: Noise Reduction Coefficient (NRC) results represent the absorption coefficients measured at the one third octaves bands at 125, 250, 500, 1000, 2000 and 4000 Hz rounded to the nearest 0.05. Acoustic testing has been performed according to the methods mentioned above. Customisation of installation of the product could alter the results. Sound Absorption Average (SAA) indicates the absorption coefficient average for the twelve one-third octave bands ranging between 200 and 2500 Hz







Acoustic Performance


ASTM C423-09a: Standard Test Method for bund Absorption and Sound Absorption pefficients by the Reverberation Room Method

ISO 11654 -2002: Acoustics - Rating of sound psorption - Material and systems


1.20 1.00 0.80 0.60 0.40 0.20 0.00 125 250 500 1000 2000 4000 Frequency f (Hz) *Graph not to scale.

Frequency (Hz)	125	250	500	1000	2000	4000	NRC
۵s	0.01	0.07	0.31	0.51	0.51	0.50	0.35

Configurations







Ashlar

Monolithic

Non-Directional



Colorways

