



Linear Baffles

FilaSorb™ 25

acoufelt
making quiet

Product Detail

Product	Linear Baffle
Application	Ceiling
Composition	100% polyester
Material	FilaSorb™
Recycled Content	60% min
Dimensions	200 x 2800mm
Thickness	25mm +/- 10%

Guarantees

Warranty against defects 20 years*
Light fastness warranty 20 years*

*conditions apply



Technical Data

Indoor Air Quality	SCS-EC10.3-2014 v4.0 meeting standard CDPH/EHLB Standard Method v.1.2-2017, $\leq 0.5\text{mg}/\text{m}^3$
Light Fastness	ISO 105-B02 1994, 6-7
Fire Test Method	ASTM E84-18b, Class A

Sustainability


- One square meter diverts 108 x PET (600ml) drinking bottles from landfill
- LBC Red list free
- Phenol & formaldehyde free
- Total VOC's $0.5\text{ mg}/\text{m}^3$
- CDPH compliance
- Complies with building standards



Made from 60% min. recycled content



Declare Living Building Challenge compliant



Generated using 40% solar energy




Recycable at end-of-life



Declare.


Acoustic Performance

Sound Absorption AS ISO 354
 NRC 0.75 (no air gap)



Frequency (Hz)	125	250	500	1000	2000	4000	NRC
α _s	0.23	0.35	0.67	0.93	1.06	0.94	0.75


Colorways



Piano Black



Grey




White

Design




200 x 2800mm

Elevation



Perspective



Installation Method

Cable to Deck

