



Full Color Panel

FilaSorb™ V30

acoufelt
making quiet

Product Detail

Product	Full Color
Application	Wall and ceiling
Composition	100% polyester
Material	FilaSorb™
Recycled Content	80% min
Dimensions	1200 x 2800mm Custom size available upon request
Thickness	30mm +/- 10%

Guarantees

Warranty against defects 20 years*
Light fastness warranty 20 years*

*conditions apply



QuickShip available



Technical Data

Indoor Air Quality	SCS-EC10.3-2014 v4.0 meeting standard CDPH/EHLB Standard Method v.1.2-2017, $\leq 0.5\text{mg}/\text{m}^3$
Light Fastness	ISO 105-B02, 6-7
Fire Test Method	AS/ISO 9705.1, Group 1 ASTM E84-18b, Class C

Environmental Attributes


- Every square meter of FilaSorb™ diverts on average approximately 108 x 600ml PET drinking bottles from landfill
- LBC Red list free
- Phenol & formaldehyde free
- Total VOC's $0.5\text{ mg}/\text{m}^3$
- CDPH compliance
- Complies with building standards



Declare.

Acoustic Performance

Sound Absorption ASTM C423-90A
 NRC 0.80 (no air gap)
 NRC 0.85 (20mm air gap)



Frequency (Hz)	125	250	500	1000	2000	4000	NRC
α_s no air gap	0.30	0.50	0.75	1.00	1.10	1.00	0.80
with 20mm air gap	0.08	0.46	0.84	1.06	1.04	1.02	0.85

Colorways



Peppercorn



Lipstick Red



Carrot



Peach



Butter



Popcorn



Pistachio




Thistle



Oregano




Kale



Wasabi



Denim



Peacock



Azur



Marine



Periwinkle




Lilac




Iris




Berry




Midnight



Piano Black



Charcoal



Slate



Grey



Metal



Platinum



White



Ivory




Pearl




Natural

Mounting Methods

Constructive Adhesive




Z-Clip Mount




Pot Magnet Install

Wall Pot Magnet Install Metal Plate



Wall Pot Magnet Install L Plate + Metal Plate



L Plate Wall + Metal Plate Configuration

○ L Metal Plate × Metal Plate

