



# Acoustic Art

QuietPrint™

acoufelt  
making quiet

## Product Detail

<b>Application</b>	Wall
<b>Composition</b>	100% polyester
<b>Material</b>	FilaSorb™
<b>Recycled content</b>	80% min
<b>Dimensions</b>	Various Custom sizes available upon request
<b>Thickness</b>	25mm +/- 10%

## Guarantees

**Warranty against defects** 20 years\*  
**Light fastness warranty** 20 years\*

\*conditions apply

## QuickShip



Talk to our team on our QuickShip lead times

## Technical Data

<b>Fire rating</b>	AS/ISO 9705.1, Group 1 ASTM E84-17a, Class A
<b>Indoor air quality</b>	SCS-EC10.3-2014 v4.0 meeting standard CDPH/EHLB Standard Method v.1.2-2017, $\leq 0.5\text{mg}/\text{m}^3$
<b>Light fastness</b>	ISO 105-B02, 6-7


## Sustainability



Made from 60% min. recycled content



Red List Free Declare Label



Generated using 40% solar energy



Recyclable at end-of-life



Total VOC's less than  $0.5\text{mg}/\text{m}^3$  (3<sup>rd</sup> Party Verified)




Phenol & formaldehyde free



## Acoustic Performance

**Test method** ISO 354-2006  
**Results** NRC 0.75 (no air gap)



Frequency (Hz)	125	250	500	1000	2000	4000	NRC
$\alpha_s$	0.23	0.35	0.67	0.93	1.06	0.94	0.75

# Hanging and Backing

