



# Argentium

BarrierBack™ Carpet Tiles

acoufelt  
making quiet

## Product Detail


<b>Application</b>	Floor
<b>Composition</b>	BarrierBack™
<b>Material</b>	100% solution dyed nylon
<b>Style</b>	Tufted loop pile
<b>Recycled content</b>	100% recycled nylon in face pile
<b>Tile dimensions</b>	500 x 500mm
<b>Thickness</b>	7mm +/- 10%
<b>Tiles per box</b>	20

## Guarantees

<b>Wear warranty</b>	20 years*
<b>Castor chair proof</b>	20 years*
<b>Anti-static</b>	Lifetime*
<b>Colorfast</b>	20 years*
<b>Classification</b>	Commercial Extra Heavy Duty

\*conditions apply


## Installation Method



## Technical Data

<b>Dimensional stability</b>	ISO 17984, -0.05%
<b>Electrostatic propensity</b>	AATCC 134, < 0.70kW
<b>Color fastness</b>	ISO 105-B02, 6-7
<b>Fire test method</b>	AS/ISO 9239.1-2003
<b>Critical heat flux</b>	Mean result 7.5kW/m <sup>2</sup>
<b>Smoke deviation rate</b>	Mean result 239%.min

## Sustainability



Yarn made from 100% recycled nylon fiber




Phenol & formaldehyde free

**ECONYL®**

## Acoustic Performance

<b>Test method</b>	EN ISO 11654
<b>Results</b>	NRC 0.15



Frequency (Hz)	125	250	500	1000	2000	4000	NRC
α <sub>s</sub>	0.00	0.03	0.07	0.16	0.30	0.36	0.15

## QuickShip


**QuickShip Rapid**




QuickShip Rapid products can be despatched within **1-2 days.**

# Colorways

---




Silver Beam



Emerald




Emerald Solid




Sapphire




Sapphire Solid



Copper



Copper Solid



Ruby



Ruby Solid