



# Linear Baffles

FilaSorb™ 22

acoufelt  
making quiet

# Product Detail

<b>Product</b>	Linear Baffle
<b>Application</b>	Ceiling
<b>Composition</b>	100% polyester
<b>Material</b>	FilaSorb™
<b>Recycled Content</b>	60% min
<b>Dimensions</b>	200 x 2800mm
<b>Thickness</b>	22mm +/- 10%

# Guarantees

**Warranty against defects** 20 years\*  
**Light fastness warranty** 20 years\*

\*conditions apply



# Technical Data

<b>Indoor Air Quality</b>	SCS-EC10.3-2014 v4.0 meeting standard CDPH/EHLB Standard Method v.1.2-2017, ≤ 0.5mg/m <sup>3</sup>
<b>Light Fastness</b>	ISO 105-B02 1994, 6-7
<b>Fire Test Method</b>	ASTM E84-18b, Class A

# Sustainability

- Every square meter of FilaSorb™ diverts on average approximately 108 x 600ml PET drinking bottles from landfill
- LBC Red list free
- Phenol & formaldehyde free
- Total VOC's 0.5 mg/m<sup>3</sup>
- CDPH compliance
- Complies with building standards



Made from 60% min. recycled content



Declare Living Building Challenge compliant



Generated using 40% solar energy




Recyclable at end-of-life



**Declare.**

# Acoustic Performance

**Sound Absorption** AS ISO 354  
 NRC 0.75 (no air gap)



Frequency (Hz)	125	250	500	1000	2000	4000	NRC
α <sub>s</sub>	0.23	0.35	0.67	0.93	1.06	0.94	<b>0.75</b>

# Colorways

---



White



Piano Black



Light Grey


# Design

---




200 x 2800mm

Elevation



Perspective



# Installation Method

---

Cable to Deck

