



acoufelt


REGULAR CEILING BAFFLES

Install Guide

Linear Design

Sizes

Standard Height	200mm
Standard Lengths	1400 & 2800mm <i>Custom sizes available</i>
Thickness	12 & 24mm




Hardware Spacing

Ripple Design

Sizes

Standard Height	200mm
Standard Lengths	1400 & 2800mm <i>Custom sizes available</i>
Thickness	12 & 24mm




Hardware Spacing



Wing Design

Sizes

Standard Height	200mm
Standard Lengths	1400 & 2800mm <i>Custom sizes available</i>
Thickness	12 & 24mm




Hardware Spacing





Curve Design

Sizes

Standard Height	200mm
Standard Lengths	1400 & 2800mm <i>Custom sizes available</i>
Thickness	12 & 24mm





Hardware Spacing





Arc Design

Sizes

Standard Height	200mm
Standard Lengths	1400 & 2800mm <i>Custom sizes available</i>
Thickness	12 & 24mm




Hardware Spacing




Mounting Methods


Cable




Cable To Deck




Cable To T Grid




Swivel Cable To Deck




Threaded Rod




Threaded Rod to Unistrut



Twist Lock To T Grid



Magnet to T Grid





GET IN TOUCH

For more information, advice and
samples visit **acoufelt.co.uk**



customercare.uk@acoufelt.com | +44 (0) 203 488 6322 | **acoufelt.co.uk**