

Blox Clouds

Specifications

Application	Ceiling
Material	FilaSorb™ polyester felt
Recycled content	60% min. rPET
Thickness	12mm +/- 10%
Weight	2400gsm
Dimensions	Blox Angled 508 x 1220 x 508mm (W x L x H) 1220 x 1220 x 508mm (W x L x H) Blox Deep 508 x 1220 x 508mm (W x L x H) 1220 x 1220 x 508mm (W x L x H) Blox Shallow 508 x 1220 x 508mm (W x L x H) 1220 x 1220 x 508mm (W x L x H)

Technical Data

Fire test method	AS ISO 9705:2033 (according to AS 5637.7:2015 requirements)
Group number SMOGR _{ARC} (in m2/s2 x 1000)	Group 1 0.93
Total VOC test method	SCS-EC10.3-2014 v4.0 meeting standard CDPH/EHLB Standard Method v.1.2-2017
Total VOC result	≤ 0.5mg/m³
Colorfastness test method	ISO 105-B02
Rating	6-7
Water vapour sorption method	ASTM C1104-2019 (Procedure A Modified)
Water sorbed by weight	0.20% (results based on a 12mm thick panel)

Acoustic Performance

Test method	Pending product testing
Installation method	Pending product testing
Rating method	Pending product testing
Test results	Pending product testing

Sustainability



Made from 60% min.
recycled content



Material ‘Take Back’
program allows our
product to be recycled



Acoustic Felt material
is made with 30-40%
solar energy*
*made in Thailand

Details

Lead time	3-6 weeks
Origin	Australia
Warranty against defects	20 years*
Colorfastness warranty	20 years*

*conditions apply




Angled Design


Sizes

Width	508 & 1220mm
Depth	508mm
Height	1220mm


Plan



Elevations





Perspective



Hardware Spacing

1220mm W – 1066mm on centre spacing
1220mm L – 610mm on centre spacing
508mm – 470mm on centre spacing




Deep Design


Sizes

Width	508 & 1220mm
Depth	508mm
Height	1220mm

Plan



Elevations





Perspective



Hardware Spacing

1220mm W – 1066mm on centre spacing
1220mm L – 610mm on centre spacing
508mm – 470mm on centre spacing




Shallow Design


Sizes

Width	508 & 1220mm
Depth	508mm
Height	1220mm


Plan



Elevations





Perspective















Hardware Spacing

1220mm W – 1066mm on centre spacing
1220mm L – 610mm on centre spacing
508mm – 470mm on centre spacing



FilaSorb™ Colorways

										
Peppercorn PE22	Currant CU59	Carrot CA08	Peach PE19	Flamingo FL61	Valentine VA70	Turmeric TU60	Wheat WH68	Kale KA12	Oregano OR18	Sencha SE58
										
Celery CE65	Eucalyptus EU71	Wasabi WA29	Pistachio PI25	Midnight MI16	Flint FL64	Granite GR62	Denim DE09	Iris IR10	Azur AZ05	Marine MA15
										
Stonewash ST72	Periwinkle PE23	Sea Salt SE57	Shiraz SH63	Piano Black PI24	Charcoal CH01	Slate SL27	Grey GR02	Metal ME03	Platinum PL04	Walnut WA56
										
Umber UM54	Amethyst AM69	Quartz QU67	Almond AL55	Ivory IV11	Pearl PE21	White WH12	Milkyway MI74			

Can't find a color?
We are constantly updating our palette, which includes adding and discontinuing certain color lines. If you can't find the color you are looking for, please contact us with your color request, as we may still have stock available.

WoodBeQuiet™ Prints



Picket Fence
WQ01



Boat Shed
WQ02



Wine Barrel
WQ03



Log Cabin
WQ04



Barn Door
WQ05



Loft
WQ06



White Elm
WQ07



French Bobbin
WQ08



Charred Larch
WQ09



Boardwalk
WQ10



Antique Chest
WQ11



Baltic Birch
WQ12



White Oak
WQ13



Weathered Slate
WQ14



Nordic Plank
WQ15



Natural Oak
WQ16



European Larch
WQ17



Teak
WQ18



Fumed Oak
WQ19



Black Walnut
WQ20



Driftwood
WQ21



Woodland Fog
WQ22



Petrified Ash
WQ23



Mountain Lodge
WQ24



Mocha Legno
WQ25



Scorched Timber
WQ26



Espresso Oak
WQ27



Shadow Oak
WQ28




Knotty Spruce
WQ29




Lyed Larch
WQ30

Mounting Methods


Cable




Cable to deck




Cable to Unistrut




Swivel cable to deck



Threaded rod



Threaded rod to Unistrut



Direct to Unistrut

