



Desk Dividers

Desk Modules and Mobile Acoustics

acoufelt
making quiet

Product Detail

Application	Wall
Composition	100% polyester
Material	FilaSorb™
Recycled content	60% min
Dimensions	Interlocking – 603 x 1778 x 762mm Privacy Screens – 610 x 1778mm A Mount Divider – 610 x 813 x 1041mm B Mount Divider – 610 x 737mm U/L Mobile Dividers – 406 x 914 x 445mm Custom sizes available upon request
Thickness	12mm +/- 10%

Guarantees

Warranty against defects	20 years*
Color fastness warranty	20 years*

*conditions apply

Technical Data

Fire rating	AS/ISO 9705.1, Group 1 ASTM E84-17a, Class A EN 13501-1: 2019, B-s1, d0
Indoor air quality	SCS-EC10.3-2014 v4.0 meeting standard CDPH/EHLB Standard Method v.1.2-2017, ≤ 0.5mg/m³
Color fastness	ISO 105-B02, 6-7


Sustainability



Made from 60% min.
recycled content



Red List Free
Declare Label
(3rd Party Verified)



Generated using
40% solar energy



Recyclable at
end-of-life




Total VOC's less than
0.5 mg/m³ (3rd Party Verified)



Phenol &
formaldehyde free

Acoustic Performance


Test method	ISO 354-2006
Results	NRC 0.45 (no air gap)




Frequency (Hz)	125	250	500	1000	2000	4000	NRC
αs	0.06	0.02	0.23	0.61	0.89	0.95	0.45

Designs


Desk Modules




Interlocking
603 x 1778 x 762mm



Privacy Screen
610 x 1778mm




A Mount Divider
610 x 813 x 1041mm




B Mount Divider
610 x 737mm

Mobile Acoustics

























L Mobile Divider
406 x 914 x 445mm



U Mobile Divider
406 x 914 x 445mm

Colorways

Light Reflectance Values (LRV), are a measure of the percentage of visible and usable light that is reflected from a surface when illuminated by a light source.

										
Celery LRV – 43.64%	Flint LRV – 5.14%	Shiraz LRV – 3.99%	Quartz LRV – 36.85%	Peppercorn LRV – 8.50%	Currant LRV – 7.04%	Carrot LRV – 20.00%	Peach LRV – 29.00%	Flamingo LRV – 37.54%	Turmeric LRV – 29.59%	Popcorn LRV – 65.00%
										
Kale LRV – 4.50%	Oregano LRV – 8.80%	Thistle LRV – 13.00%	Wasabi LRV – 38.00%	Sencha LRV – 34.15%	Pistachio LRV – 30.00%	Midnight Blue LRV – 3.50%	Granite LRV – 6.40%	Denim LRV – 6.00%	Peacock LRV – 19.00%	Azur LRV – 18.00%
										
Marine LRV – 25.00%	Periwinkle LRV – 36.00%	Sea Salt LRV – 28.56%	Lilac LRV – 39.00%	Iris LRV – 10.50%	Berry LRV – 12.00%	Piano Black LRV – 3.00%	Charcoal LRV – 5.46%	Slate LRV – 12.50%	Grey 27.00%	Metal LRV – 35.00%
										
Platinum LRV – 42.00%	Walnut LRV – 12.14%	Umber LRV – 20.35%	Almond LRV – 53.64%	Ivory LVR – 40.00%	Pearl LRV – 54.00%	White LRV – 83.22%	Lipstick Red LRV – 12.50%	Butter LRV – 62.00%		