



Acoufelt Product Catalogue

acoufelt
making quiet




Our vision and mission.

We envision a future where our range of beautiful soft architectural acoustic products adorn interiors around the world, improving the experience for all users of the space.

Leveraging our expertise in acoustic materials, design and manufacturing, we are dedicated to enhancing wellbeing within interior spaces through our sustainable, high quality and innovative soft architectural solutions.

Contents

P.04 Regular Wall Panels	P.27 Ovale 3D Tiles	P.52 Step Ceiling Baffles	P.72 Pendant Ceiling Clouds
P.07 Beveled Wall Panels	P.29 Pixel Panels	P.54 Flow Ceiling Baffles	P.74 SoftenUp™ Ceiling Frames
P.09 Fracture Panels	P.32 Screens	P.56 Truss & Beam Ceiling Baffles	P.76 Framework Ceiling Frames
P.12 Fracture Two-Tone Panels	P.35 Shapes	P.58 Sway Ceiling Baffles	P.79 Castillo Ceiling Clouds
P.15 Raised Wall Panels	P.38 WoodBeQuiet™ Slats	P.60 Billow Ceiling Baffles	P.81 Regular Ceiling Panels
P.17 Formation Wall Panels	P.41 WoodBeQuiet™ Planks	P.62 Regular Clouds	P.83 Regular Ceiling Tiles
P.20 Seam Wall Panels	P.44 Regular Ceiling Baffles	P.65 Canopy Ceiling Clouds	P.85 Concealed Ceiling Panels
P.22 Filter Wall Panels	P.47 Layered Ceiling Baffles	P.67 Blox Ceiling Clouds	P.87 Product Finish Index
P.24 QuietForm™ Panels	P.50 Fan Ceiling Baffles	P.70 Crest & Swing Ceiling Clouds	P.90 Sustainable Products & Practices



Regular Wall Panels



Regular acoustic wall panels are made from FilaSorb™; Acoufelt's proprietary premium felt.

Offered in different thicknesses and an array of colors, FilaSorb™ Regular panels offer unlimited design opportunities.

Finishes

- Available in all FilaSorb™ colours (see page 88)
- Custom sizing available

Details

- Thickness + Dimensions
12mm – 1220 x 2800mm
24mm – 1220 x 2800mm
- NRC – 0.45 - 0.64 | Class D-E



Wall Panel – Almond

Beveled Wall Panels

Classic wall panels with beautifully softened edges, Beveled elevates the appearance and performance of any space.

Beveled's subtle, sophisticated lines conceal existing wall seams and imperfections. Easily attach over current wall finishes for an unbroken span of colour and soundscaping.

Finishes

- Available in all FilaSorb™ colours (see page 88)
- Custom sizing available

Details


- Thickness + Dimensions
12mm – 1220 x 2800mm
- NRC – 0.45 - 0.64 | Class D-E



Wall Panel – Valentine



Fracture Panels



Pennant Fracture Panel – Carrot




Fineline Fracture Panel – Butter



Tracks Fracture Panel – Denim

Designs



Fracture Panels are made from our FilaSorb™ acoustic material, which is then precision carved with a bevelled groove to create a series of directional linework designs.

Finishes

- Available in all FilaSorb™ colours (see page 88)
- Available in all WoodBeQuiet™ prints (see page 89)
- Custom patterns and sizing available

Details

- Dimensions – 1220 x 2800mm
- Thickness – 12mm
- NRC – 0.45 - 0.64 (20mm air gap) | Class E-D



Fracture Two-Tone Panels



Dash Fracture Two-Tone Panel – Charcoal & Ivory



Parallax Fracture Two-Tone Panel – Carrot & White




Vapor Fracture Two-Tone Panel – Metal & Currant



Raindrop Fracture Two-Tone Panel – Slate & White

Designs



Sharpen your senses with Fracture Two-Tone; our cutting-edge double layer acoustic panel. Utilizing high-quality technology and machinery, precision linework is carved into our double layer premium acoustic felt, giving way to the accent color of the panel behind.

Carve your unique color story, pairing any one of our solid FilaSorb™ felt colors for over 14,000 combinations.

Finishes

- Available in any combination across all of our FilaSorb™ colours (see page 88)
- Custom patterns and sizing available

Details

- Dimensions – 1200 x 2780mm
- Thickness – 14mm (12mm backing panel + 2mm skin)
- NRC – 0.55 - 0.75 (50mm air gap) Class C-D

Raised Wall Panels

Elevate your space with Raised Wall Panels, where dimension, warmth, and superior sound absorption converge.

Featuring four depth options, these panels offer limitless design possibilities: use a single depth for understated texture or combine varying depths to craft a dynamic, rhythmic aesthetic.

Finishes

- Available in all FilaSorb™ colours (see page 88)
- Custom sizing available

Details

- Thickness + Dimensions
12mm – 1220 x 2800mm
- Fin Depths - 25, 50, 102 & 152mm
- NRC – 0.45 - 0.64 | Class D-E




Raised Wall Panel – Valentine



Formation Wall Panels



Designs



Formation panels draw visual interest with intentional slat spacing that changes the view from every angle, capturing both attention and sound in any space.

Available in five designs – ‘Concave’, ‘Convex’, ‘Fin’, ‘Monument’ and ‘Perch’ in a range of FilaSorb™ colour options that easily attach over any existing wall finish.

Finishes

- Available in any combination across all of our FilaSorb™ colours (see page 88)
- Custom patterns and sizing available

Details

- Dimensions – 1200 x 2800mm
- Batton Depth - 152mm (max), 25mm (min)
- NRC – 0.45 - 0.64 | Class D-E



Seam Wall Panels

Seam Wall Panels bring together sophisticated design and exceptional acoustic performance to transform spaces into serene, architectural statements.

Available in two distinctive profiles—Block with its crisp, linear definition and Igloo with its softer, curved edges—Seam adds depth and verticality, making interiors feel taller and more structured.




Finishes

- Available in all FilaSorb™ colours (see page 88)
- Available in all WoodBeQuiet™ prints (see page 89)

Details

- Dimensions – 1200 x 2800mm
- Thickness – 12 & 24mm
- NRC – 0.45 - 0.64 | Class D-E



Filter Wall Panels

Filter Wall Panels are an innovative acoustic solution that enhances sound quality while adding a three-dimensional design element.


These panels are uniquely designed to protrude 76mm from the wall, available in 4 different undulating designs creating depth and texture that transforms any environment.

Finishes


- Available in all FilaSorb™ colours (see page 88)
- Custom sizing available

Details

- Thickness + Dimensions
12mm – 610 x 2800mm
- Column Widths - 50, 101, 152 & 203mm
- NRC – 0.45 | Class E



Filter – Slate




QuietForm™ Panels



Celestial QuietForm™ Panel – Almond



Flute QuietForm™ Panel – Flamingo




Kalos QuietForm™ Panel – Amethyst




Pole QuietForm™ Panel – Umber


Designs




Celestial



Flute



Kalos



Pole

QuietForm™ Panels are Acoufelt’s first debossed acoustic product, designed for a three-dimensional wall finish with transformative soundscaping functionality.

Panels come in four unique 3D designs, and are available in our full range of colors and woodgrain prints.

Finishes

- Available in all FilaSorb™ colours (see page 88)
- Available in all WoodBeQuiet™ prints (see page 89)

Details

- Dimensions – 1200 x 2800mm
- Thickness – 12mm with 7.5mm depth
- NRC – 0.45 - 0.75 (50mm air gap)
Class C-E



Ovale 3D Tiles

Ovale is a series of design-engineered folded tiles that, when combined, create a dynamic 3D feature wall design. Each tile comes together to deliver a solution that traps sound in its porous structure, achieving a high NRC of 0.85.

Tiles are available in all FilaSorb™ colorways and WoodBeQuiet™ prints



Ovale 3D Tiles – WoodBeQuiet™ Picket Fence

Finishes


- Available in all FilaSorb™ colours (see page 88)
- Available in all WoodBeQuiet™ prints (see page 89)

Details

- Dimensions
Flat - 400 x 530mm;
Assembled - 400 x 220 x 100mm
- Thickness – 12mm
- NRC – 0.85 | Class B



Ovale 3D Tiles – WoodBeQuiet™ Loft



Pixel Panels



Square Pixel Panel – Marine + Sea Salt




Triangle Pixel Panel – Butter + Almond



Circle Pixel Panel – Pistachio + Walnut

Designs



Circle

Triangle

Square

Right Triangle

Rectangle

Pixel is a double-layer acoustic wall panel with repeating shapes cut into the front layer, resulting in a color contrasting geometric pattern.

Pair any two colors from the FilaSorb™ palette to create your unique Pixel design, available in five geometric shapes.

Finishes

- Available in any combination across all of our FilaSorb™ colours (see page 88)
- Custom shapes and sizing available

Details

- Dimensions – 1220 x 2780mm
- Thickness – 14 & 24mm
- NRC – 0.55 - 0.75 | Class C-E



Screens



Sonar Screen – Platinum




Fineline Fracture Panel – Butter




Tunnel Screen – Pistachio


Designs




Origami




Turntable




Rain




Blizzard




Radar




Fern




Insignia




Pyramid




Skyscraper



Sonar



Tunnel



Waterfall

Finishes

- Available in all FilaSorb™ colors (see page 88)
- Custom patterns available

Details

- Dimensions – 1220 x 2800mm
- Thickness – 12mm
- NRC – 0.45 | Class E

Use our Screens to partition a room while preserving natural light, apply to glass walls and windows to reduce echo, or simply add color and visual intrigue where desired.



Shapes



Diamond Shape – Grey




Scale Shape – Pearl




Rectangle Shape – Piano Black


Designs



Right Triangle
300 x 400mm




Hexagon
400 x 315mm




Scale
400 x 317mm



Diamond
350 x 600mm



Ogee
315 x 400mm



Rectangle
850 x 400mm

Made from our acoustic FilaSorb™ material, Shapes can be applied as a fun and functional decorative wall feature. With six shapes to choose from, each shape offers a wide range of tessellation applications and color combinations.

Finishes

- Available in all FilaSorb™ colours (see page 88)
- Custom shapes and sizing available
- Peel & Stick backing available

Details

- Thickness – 12mm
- NRC – 0.45 | Class E

WoodBeQuiet™ Slats



WoodBeQuiet™ Slats – Loft



WoodBeQuiet™ Slats – Barn Door



WoodBeQuiet™ Slats – Barn Door



WoodBeQuiet™ Slats – Boardwalk

FilaSorb™ acoustic panels are carved with a series of v-cut parallel vertical grooves, and printed with our high-resolution WoodBeQuiet™ woodgrain designs, creating a depth of finish that imitates that of real timber slats.

Finishes

- Available in all WoodBeQuiet™ prints (see page 89)
- Contrast v-cut color available (see page 89)

Details

- Dimensions – 1200 x 2800mm
- Slat Widths – 50, 101, 152 & 203mm
- Thickness – 12mm
- NRC – 0.45 - 0.64 (20mm air gap)
Class E-D



WoodBeQuiet™ Slats – French Bobbin



WoodBeQuiet™ Planks





Meet WoodBeQuiet™ Planks;
Acoufelt's award-winning wood-
lookalike product. Acoufelt's acoustic
material is cut into planks and printed
with high-resolution scans to mimic
the unique look of real woodgrain.

Unlike real wood, however,
WoodBeQuiet™ planks achieve an
NRC of 0.45 and are made from more
than 60% recycled PET material.

Finishes


- Available in all WoodBeQuiet™
prints (see page 89)
- Peel & Stick backing available

Details

- Dimensions – 200 x 1000mm
- Thickness – 12mm
- NRC – 0.45 | Class E



WoodBeQuiet™ Planks – Boardwalk




Regular Ceiling Baffles


Designs



Linear
12mm - 200 x 1400mm | 200 x 2800mm
24mm - 200 x 1400mm | 200 x 2800mm




Ripple
12mm - 200 x 1400mm | 200 x 2800mm
24mm - 200 x 1400mm | 200 x 2800mm



Wing
12mm - 200 x 1400mm | 200 x 2800mm
24mm - 200 x 1400mm | 200 x 2800mm



Curve
12mm - 200 x 1400mm | 200 x 2800mm
24mm - 200 x 1400mm | 200 x 2800mm



Arc
12mm - 200 x 1400mm | 200 x 2800mm
24mm - 200 x 1400mm | 200 x 2800mm



Curve Baffle - Pistachio



Crafted to enhance both acoustics and aesthetics, Acoufelt's Regular baffle collection is the go-to ceiling solution for any space.

For a sleek, contemporary appearance, 'Linear', 'Wing' and 'Arc' baffles offer clean, straight lines, while 'Ripple' and 'Curve' baffles introduce soft, undulating shapes.

Finishes

- Available in all FilaSorb™ colours (see page 88)
- Custom sizing available


Details

- Thicknesses – 12 & 24mm
- NRC – 1.15 - 1.30 | Class C-E




Layered Ceiling Baffles

Designs



Groove
24mm - 200 x 1400mm | 200 x 2800mm



Reveal
24mm - 200 x 1400mm | 200 x 2800mm



Reveal Baffle - Azure & Slate



Layered baffles offer a unique double-layer construction, enabling users to choose different colors for each side, creating a striking two-tone effect.

Available in two designs, 'Reveal' and 'Groove', the distinctive cuts highlight contrasting colors in different geometric shapes.

Finishes

- Available in all FilaSorb™ colours (see page 88)
- Custom sizing available

Details

- Thicknesses – 24mm
- NRC – 1.15 | Class E



Fan Ceiling Baffles

Designed to elevate both the acoustics and visual appeal of any environment, Acoufelt's Fan Baffle is the ideal ceiling solution for those seeking to combine functionality with style.

The Fan Baffle design introduces a sense of movement and flow, creating captivating patterns that draw the eye upward. Its dynamic structure not only enhances the aesthetic of any room but also improves sound quality by effectively managing noise levels.

Design



Fan
12mm - 200 x 1400mm | 200 x 2800mm
24mm - 200 x 1400mm | 200 x 2800mm



Finishes

- Available in all FilaSorb™ colours (see page 88)
- Custom sizing available

Details

- Thicknesses – 12 & 24mm
- NRC – 1.30 | Class C




Step Ceiling Baffles

Engineered to refine both the acoustic performance and modern look of any space, Acoufelt's Step Baffle offers an elegant ceiling solution for those seeking minimalist design with maximum impact.

The Step Baffle features clean, geometric lines that add a sleek, contemporary aesthetic to any room. Its layered structure not only creates visual interest but also optimizes sound quality by efficiently controlling noise levels.

Design



Step
12mm - 200 x 1400mm | 200 x 2800mm
24mm - 200 x 1400mm | 200 x 2800mm



Step Ceiling Baffle - Mountain

Finishes

- Available in all FilaSorb™ colours (see page 88)
- Available in all WoodBeQuiet™ Prints (see page 89)
- Custom sizing available

Details

- Thicknesses – 12 & 24mm
- NRC – 1.30 | Class C

Flow Ceiling Baffle

Designed to bring both movement and acoustic performance to modern interiors, the Flow Baffle redefines ceiling design with its fluid, undulating form.

Crafted from FilaSorb™ acoustic materials, it softens sound while adding a striking architectural element to any space. Its suspended, wave-like structure creates a dynamic visual effect, making it ideal for offices, hospitality venues, and open-plan environments where both style and function matter.

Design



Flow
12mm - 200 x 2800mm | 400 x 2800mm



Finishes

- Available in all FilaSorb™ colours (see page 88)
- Custom sizing available


Details

- Thicknesses – 12mm
- NRC – 1.65 | Class A


Truss & Beam Ceiling Baffle

Truss and Beam Ceiling Baffles redefine acoustic and visual design with their bold, angular geometry and exceptional sound absorption. Designed to create a striking dimensional effect, these baffles offer an architectural statement while optimizing acoustic comfort in any space.


Design



Beam
Width - 50, 76 & 102mm
Length - 3000mm up to 5500mm (in 600mm increments)
Height - 200mm up to 400mm (in 50mm increments)



Truss
Width -50 up to 305mm (in 25mm increments)
Length -305 up to 2800mm (in 152mm increments)
Height - 76 up to 508mm (in 25mm increments)



Finishes

- Available in all FilaSorb™ colours (see page 88)
- Available in all WoodBeQuiet™ prints (see page 89)
- Custom sizing available


Details

- Thicknesses – 12mm
- NRC – 1.65 | Class A

Sway Ceiling Baffle

Sway Ceiling Baffles introduce an effortless sense of movement and rhythm to your interior design. Featuring elegantly curved profiles, these acoustic baffles mimic the gentle flow of natural forms, creating a serene and visually dynamic ceiling treatment.

Design



Sway
12mm - 200 x 1220mm | 200 x 2400mm | 200 x 2800mm



Sway Ceiling Baffle - Walnut & Ivory

Finishes

- Available in all FilaSorb™ colours (see page 88)
- Custom sizing available

Details

- Thicknesses – 12mm
- NRC – 1.65 | Class A

Billow Ceiling Baffle

Billow Ceiling Baffles bring soft, flowing contours to acoustic design, offering a harmonious blend of form and function. With their undulating profiles, these baffles evoke a sense of movement and tranquility, making them an ideal choice for creating visually captivating and acoustically optimized spaces.

Design



Billow
Width – 356mm
Depth – 50 & 76mm
Length – 1220 & 2440mm
Height – 102 up to 305mm (25mm increments)



Finishes

- Available in all FilaSorb™ colours (see page 88)
- Custom sizing available


Details

- Thicknesses – 12mm
- NRC – 1.65 | Class A




Regular Clouds


Designs



Circle – 1200 x 1200mm



Hexagon – 1200 x 1385mm



Rectangle – 1200 x 1400mm



Circle Clouds - Butter, Slate & Metal



With a large surface area, Regular clouds offer strong sound absorption. Select from a broad range of shapes, colors and thicknesses, then play with height and layout across your ceiling space.

Finishes

- Available in all FilaSorb™ colours (see page 88)
- Custom shapes and sizing available


Details

- Thicknesses – 12 & 24mm
- NRC – 0.45 - 0.85 (200mm air gap)
Class A-B


Canopy Ceiling Clouds

Elevated by design and engineered with precision, our Canopy Acoustic Clouds deliver a modern, geometric aesthetic while providing Class A sound mitigation.

Designs



Canopy Profile 1
12mm - 1100 W x 2400 L x 50mm H



Canopy Profile 2
12mm - 1100 W x 1100 L x 50mm H



Finishes


- Available in all FilaSorb™ colours (see page 88)
- Available in all WoodBeQuiet™ prints (see page 89)
- Custom sizing available

Details


- Thicknesses – 12mm
- NRC – 0.80 - 0.85 | Class A-B

Blox Ceiling Clouds


Designs



Deep – 508 H x 508 W x 1220 L
508 H x 1220 W x 1220 L



Shallow – 508 H x 508 W x 1220 L
508 H x 1220 W x 1220 L



Angled – 508 H x 508 W x 1220 L
508 H x 1220 W x 1220 L



Angled Blox Clouds - Charred Larch



Deep Blox - Driftwood

Blox Ceiling Clouds combine striking geometric forms with high-performance acoustic functionality, offering a versatile solution to transform open spaces.

Available in three distinct profiles—Angled for dynamic depth, Deep for bold dimensionality, and Shallow for subtle sophistication—Blox delivers tailored design flexibility to suit any aesthetic vision.

Finishes

- Available in all FilaSorb™ colours (see page 88)
- Available in all WoodBeQuiet™ prints (see page 89)
- Custom shapes and sizing available

Details

- Thicknesses – 12mm
- NRC – 0.45 | Class E




Crest & Swing Ceiling Clouds

Swing and Crest Ceiling Clouds create a smooth flow to any ceiling space.

They can be easily suspended from the ceiling and add a playful touch to any space with their organic shape while providing targeted noise reduction.

Designs



Crest Profile
Hight - 305, 457 or 610mm
Width - 610, 915 or 1220mm
Depths - 102mm



Swing Profile
Hight - 305, 457 or 610mm
Width - 610, 915 or 1220mm
Depths - 102mm



Finishes

- Available in all FilaSorb™ colours (see page 88)
- Custom sizing available

Details


- Thicknesses – 12mm
- NRC – 0.45 | Class E



Pendant Ceiling Clouds

Transform sound absorption into grand-scale art. Blend and suspend Pendant vertical baffles in a cloud of colours and sizes to create a distinct, beautifully performing sculptural installation.

Designs



Canopy Profile 2
Thickness - 12mm
Width - 200, 300 & 400mm
Height - 900, 1200 & 1800mm



Pendant - Pearl

Finishes

- Available in all FilaSorb™ colours (see page 88)
- Custom sizing available

Details

- Thicknesses – 12mm
- NRC – 0.45 | Class E




SoftenUp™ Ceiling Frames


Delivering world-class design possibilities alongside Class A acoustics, Acoufelt's award-winning SoftenUp™ unlocks the potential of any space.

Crafted from FilaSorb™ premium felt, each tile is meticulously constructed, ensuring flawless integration into either a 600 x 600mm or 600 x 1200mm T-Grid system. The simplistic design facilitates effortless installation and removal, allowing for convenient utilities access.

Designs




Ridge – 100 x 75mm




Ridge – 50 x 75mm



Plateau – 100 x 25mm



Plateau – 50 x 25mm



Finishes

- Available in all FilaSorb™ colours (see page 88)
- Available in all WoodBeQuiet™ prints (see page 89)

Details


- 600 x 600mm & 600 x 1200mm
- NRC – 0.95 | Class A



Framework Ceiling Frames



Framework Open - Charred Larch



Framework Open & Capped - Periwinkle & Marine




Framework Open - Charred Larch




Framework Open & Capped - Periwinkle & Marine


Designs




Open 1 – 600 x 600mm



Capped 1 – 600 x 600mm




Open 2 – 900 x 900mm



Capped 2 – 900 x 900mm



Open 3 – 1200 x 1200mm



Capped 3 – 1200 x 1200mm

Framework ceiling frames consist of sound-absorbing beams that form an interlocking system, available in both ‘Open’ and ‘Capped’ designs depending on the level of coverage required.

Boasting a strong NRC of up to 1.65, designers can also choose from an array of sizes, colors and woodgrain prints.

Finishes

- Available in all FilaSorb™ colours (see page 88)
- Available in all WoodBeQuiet™ prints (see page 89)

Details


- Beam Thickness – 50 or 75mm
- NRC – 1.65 | Class A

Castillo Ceiling Tiles

Effortlessly striking, Castillo is a single FilaSorb™ tile that transforms ceilings with refined depth and texture.

Designed to rest securely within a standard T-Grid, Castillo relies solely on gravity and force for seamless installation—no additional fixings required.

Designs



Castillo Ceiling Tile
12mm - 603 L x 603 W x 289mm H



Finishes

- Available in all FilaSorb™ colours (see page 88)
- Custom sizing available

Details

- Thicknesses – 12mm
- NRC – 1.65 | Class A



Regular Ceiling Panels


Regular acoustic ceiling panels are made from FilaSorb™; our proprietary premium felt. Select from different thicknesses and an array of colors for unlimited design opportunities.

Finishes

- Available in all FilaSorb™ colours (see page 88)
- Custom sizing available

Details

- Dimensions
12 & 22mm – 1220 x 2800mm
24mm – 1200 x 2780mm
- Thickness – 12 & 24mm
- NRC – 0.45 - 0.85 (200mm air gap)
Class A-B



Ceiling Panels – Almond



Regular Ceiling Tiles

Regular acoustic ceiling tiles are made from FilaSorb™; our proprietary premium felt.

Select from different thicknesses and an array of colors for unlimited design opportunities.

Finishes

- Available in all FilaSorb™ colours (see page 88)
- Available in all WoodBeQuiet™ prints (see page 89)
- Custom sizing available

Details

- Dimensions – 595 x 1195mm & 595 x 595mm
- Thickness – 12 & 24mm
- NRC – 0.45 - 0.85 (200mm air gap)
Class A-B



Ceiling Tiles - White



Concealed Ceiling Panels

Introducing Concealed Acoustic Ceiling Panels – where simplicity meets high performance.


Designed for seamless integration into a standard TGrid, the innovative click-in system offers unmatched flexibility, allowing easy access to ceiling components while maintaining a clean, streamlined appearance.

Finishes

- Available in all FilaSorb™ colours (see page 88)
- Available in all WoodBeQuiet™ prints (see page 89)
- Custom sizing available

Details

- Dimensions
 - 12mm x 600mm x 1200mm
 - 24mm x 600mm x 1200mm
 - 12mm x 1200mm x 1200mm
 - 24mm x 1200mm x 1200mm
- Thickness – 12 & 24mm
- NRC – 0.60 - 0.85 (200mm air gap)
Class A-D
























Product Finish Index

FilaSorb™ Colourways

12 & 24mm

										
Peppercorn PE22	Currant CU59	Carrot CA08	Peach PE19	Flamingo FL61	Valentine VA70	Turmeric TU60	Wheat WH68	Kale KA12	Oregano OR18	Sencha SE58
										
Celery CE65	Eucalyptus EU71	Wasabi WA29	Pistachio PI25	Midnight MI16	Flint FL64	Granite GR62	Denim DE09	Iris IR10	Azur AZ05	Marine MA15
										
Stonewash ST72	Periwinkle PE23	Sea Salt SE57	Shiraz SH63	Piano Black PI24	Charcoal CH01	Slate SL27	Grey GR02	Metal ME03	Platinum PL04	Milkyway MI74
										
Walnut WA56	Umber UM54	Amethyst AM69	Quartz QU67	Almond AL55	Ivory IV11	Pearl PE21	White WH12			

WoodBeQuiet™ Print Finishes

									
Picket Fence	Boat Shed	Wine Barrel	Log Cabin	Barn Door	Loft	White Elm	French Bobbin	Charred Larch	Boardwalk
									
Antique Chest	Baltic Birch	White Oak	Weathered Slate	Nordic Plank	Natural Oak	European Larch	Teak	Fumed Oak	Black Walnut
									
Driftwood	Woodland Fog	Petrified Ash	Mountain Lodge	Mocha Legno	Scorched Timber	Espresso Oak	Shadow Oak	Knotty Spruce	Lyed Larch

Contrast v-cut Colorways (slat only)

				
Black	Burnt Umber	Charcoal	Dark Taupe	Deep Brown



Sustainable products and practices.

As a business, we can't deny that the built environment is a major culprit of global emissions.

To play our part in tackling climate change, we have rethought our approach to what a 'sustainable' product or practice is, and it all starts with knowing how our materials and operational practices affect the planet and its people.

Our sustainability initiatives



MANUFACTURING TO INTERNATIONAL STANDARDS

Assessed against International Standards of ISO14001 and ISO 9001, our manufacturing processes deliver quality, high-level service and products, while reducing our impact.



POWERED BY SOLAR

The use of solar panels attached to our key factory locations means that your favorite Acoufelt products are generated using around 30-40% onsite renewables – powered by the sun.



ENVIRONMENTAL LABELS

To support green building projects and material transparency, we offer environmental labels across our products. Our environmental label certifications indicate that our products are safe for people and the planet, and can be used to qualify toward green building ratings.



CARBON FOOTPRINT TRACKING

To deliver on our mission, 2023 will mark the base year for our carbon footprint, conducted across all areas of the global business. This will help us to set goals for the future, measure and benchmark effectively.

GET IN TOUCH

For more information, advice
and samples visit acoufelt.com



AUSTRALIA

customercare.au@acoufelt.com
T +61 1800 626 462

Sydney

Australia Square – Suite 2 Level 43,
264 George Street, Sydney NSW 2000

Adelaide

Level 8, 26 Flinders Street,
Adelaide SA 5000

Melbourne

2 Jackstaff Court,
Bayswater north, VIC, 3153

Brisbane

Building 6/2404 Logan Rd, Eight Mile
Plains, Brisbane QLD 4113



UNITED KINGDOM

customercare.uk@acoufelt.com
T +44 (0) 203 488 6322

London

1 Old St, London
EC1V 9HL

Exeter

8/9 Kestrel Business Park, Kestrel
Way, Exeter, EX2 7JS



UNITED STATES

customercare.usa@acoufelt.com
T +1.800.966.8557

Detroit

2650 N. Opdyke Road – Suite A
Auburn Hills, MI 48326