acoufelt

# Skipping Stones

## Ceiling Clouds

Premier Collection

Skipping Stones is a collection of sculptural clouds that captivate the eye and transform its surroundings. Ideal for expansive, open areas, these clouds command attention while maintaining a sense of lightness. Gently rounded edges soften their grand presence, creating an inviting, almost floating effect that adds depth and dimension to any space. The interior is softly detailed, offering a refined look that can be enhanced with optional integrated lighting. Available in five distinct models, each design can stand alone or be hung in multiples to form a luminous, floating centerpiece that elevates any environment.

## Specifications

| | |
|---|---|
| **Surface** | Ceiling |
| **Material** | FilaSorb™ polyester felt |
| **Weight** | 2400gsm |
| **Standard Sizes** | Heights: 254, 508mm H<br>Widths: 686, 991, 1016, 1219mm W<br>Lengths: 965, 1219, 1575, 1600, 2438mm L |

**Skipping Stones Ceiling Clouds in Perwinkle, Marine, and Granite with Lighting**

## Technical

| | |
|---|---|
| **NRC Rating** | 1.90* |
| **Fire Test** | Test Results Pending |
| **Water Sorption** | ASTM C1104-2019 (A Modified)<br>Water sorbed by weight: 0.20%<br>(based on a 12mm thick panel) |
| **Colorfastness** | ISO 105-B02, 6-7 |

** Rating is estimated based on similar product designs. Comparison NRC results available upon request.*

## Details

| | |
|---|---|
| **Lead Time** | Refer to Product Lead Time Matrix |
| **Origin** | Australia |
| **Warranty** | Product: 20 years*<br>Colorfastness: 20 years* |

** Conditions apply*

## Environmental

| | |
|---|---|
| **Recycled Content** | Minimum 60% |
| **Energy** | Generated using 40% solar energy |
| **Indoor Air Quality** | VOC less than/equal to 0.5mg/m3 |
| **Recyclable** | 100%* |
| **Certifications** | Declare Certification - LBC Red List Free (third-party verified)<br>SCS Global Indoor Advantage Gold |

** PET is recyclable through participating partners.*



© 2026 Acoufelt. All rights reserved.

# Colorways




**White**
WH12

**Milkyway**
MI74

**Ivory**
IV11


**Pearl**
PE21

**Valentine**
VA70

**Quartz**
QU67

**Stonewash**
ST72

**Sea Salt**
SE57

**Platinum**
PL04

**Almond**
AL55

**Pistachio**
PI25

**Turmeric**
TU60

**Flamingo**
FL61

**Amethyst**
AM69

**Periwinkle**
PE23

**Peacock**
PE20

**Metal**
ME03

**Mushroom**
MU75

**Celery**
CE65

**Wheat**
WH68

**Peach**
PE19

**Lilac**
LI13

**Marine**
MA15

**Sencha**
SE58

**Grey**
GR02

**Umber**
UM54

**Wasabi**
WA29

**Popcorn**
PO26

**Currant**
CU59

**Berry**
BE06

**Azure**
AZ05

**Oregano**
OR18

**Charcoal**
CH01

**Walnut**
WA56

**Eucalyptus**
EU71

**Carrot**
CA08

**Loganberry**
LO77

**Granite**
GR62

**Denim**
DE09

**Kale**
KA12

**Piano Black**
PI24

**Slate**
SL27

**Nori**
NO76

**Peppercorn**
PE22


**Shiraz**
SH63

**Flint**
FL64


**Midnight**
MI16

For questions or additional product information,
visit **acoufelt.com.au or call 1800 626 462**



© 2026 Acoufelt. All rights reserved.

# Sizes

**Standard Sizes** Height: 254, 508mm H
Widths: 686, 991, 1016, 1219mm W
Lengths: 965, 1219, 1575, 1600, 2438mm L

**Plans**




SKIPPING STONE A




SKIPPING STONE B




SKIPPING STONE C

**Elevations**










**Perspectives**







*Models can be mixed and matched to create a desired pattern.*



© 2026 Acoufelt. All rights reserved.

# Sizes *(cont.)*

**Plans**




SKIPPING STONE D




SKIPPING STONE E

**Elevations**

**Perspectives**





*Models can be mixed and matched to create a desired pattern.*



© 2026 Acoufelt. All rights reserved.

# How to Specify

**1. Choose Model** | **2. Choose Height** | **3. Choose Colorways**

Skipping Stones Clouds are available in 5 models. You can mix and match the models to create your overall design.



**Skipping Stone A** **Skipping Stone B** **Skipping Stone C** **Skipping Stone D** **Skipping Stone E**

---

**1. Choose Model** | **2. Choose Height** | **3. Choose Colorways**

Clouds are available in two heights: 250mm and 508mm. Multiple heights can be selected based on the overall desired design.

---

**1. Choose Model** | **2. Choose Height** | **3. Choose Colorways**

Select one or multiple colorways to achieve the overall desired design.
See colorway choices on page 3.



© 2026 Acoufelt. All rights reserved.

# Mounting Methods

## Cable




## Cable to deck




## Threaded rod






© 2026 Acoufelt. All rights reserved.

# Acoustic Performance

| | |
|---|---|
| **Test Method** | ASTM C423-17 |
| **Install Method** | Type A |
| **Rating Method** | ISO 11654-2007 |
| **Test Results** | NRC 1.90 |




| Frequency f (Hz) | 125 | 250 | 500 | 1000 | 2000 | 4000 | NRC |
|---|---|---|---|---|---|---|---|
| 12mm | 1.00 | 1.30 | 1.80 | 2.10 | 2.30 | 2.40 | 1.90 |

**What is a Noise Reduction Coefficient (NRC)?**

You'll find the NRC rating in the specifications of all of our products. This acronym stands for Noise Reduction Coefficient, and is expressed as a single number, a rating that describes the degree to which acoustic products can absorb sound.

You can use NRC values to understand the overall performance of our acoustic wall and ceiling products. The higher the NRC, the better the product is at soaking up the sound.

*Performance Indices: Noise Reduction Coefficient (NRC) results represent the absorption coefficients measured at the one third octave bands at 125, 250, 500, 1000, 2000 and 4000 Hz rounded to the nearest 0.05. Acoustic testing has been performed according to the methods mentioned above. Customization of installation of the product could alter the results. Sound Absorption Average (SAA) indicates the absorption coefficient average for the twelve one-third octave bands ranging between 200 and 2500 Hz.*



© 2026 Acoufelt. All rights reserved.