




Vista, Box Ceiling Frames

WoodGrain Collection

Vista, Box introduces bold, expansive geometry that elevates any space with a commanding, sculptural presence. The Box design offers a full 610x610mm square option that transforms interiors into immersive experiences. This ceiling frame system brings both visual sophistication and acoustic balance to large areas. In galleries, performance venues, and corporate environments, from offices to conference rooms, Vista establishes rhythm and order while fostering acoustic calm, becoming an integral part of the architectural narrative.

Specifications

Surface	Ceiling	
Material	FilaSorb™ polyester felt	
Weight	2400gsm	
Standard Sizes	Height	Backer Panels
	25, 95, 165mm H	610mm W x 610mm L
Compatible T-grid	Type	Layout
	24mm Flat	Standard 610mm x 610mm
	14mm Flat	Standard 610mm x 610mm



Vista, Box Ceiling Frames in Teak

Technical

NRC Rating	1.30*
Fire Test	Test Results Pending
Water Sorption	ASTM C1104-2019 (A Modified) Water sorbed by weight: 0.20% (based on a 12mm thick panel)
Colorfastness	ISO 105-B02, 6-7

* Rating is estimated based on similar product designs. Comparison NRC results available upon request.

Details

Lead Time	Refer to Product Lead Time Matrix
Origin	Australia
Warranty	Product: 20 years* Colorfastness: 20 years*

* Conditions apply

Environmental

Recycled Content	Minimum 60%
Energy	Generated using 40% solar energy
Indoor Air Quality	VOC less than/equal to 0.5mg/m3
Recyclable	100%*
Certifications	Declare Certification - LBC Red List Free (third-party verified) SCS Global Indoor Advantage Gold

* PET is recyclable through participating partners




For questions or additional product information,
visit acoufelt.com.au or call 1800 626 462

Vista, Box Ceiling Frames | January 2026

Colorways

WOODGRAIN



Picket Fence
WQ01




Loft
WQ06



White Elm
WQ07



Lyed Larch
WQ30



White Oak
WQ13




Baltic Birch
WQ12




Knotty Spruce
WQ29




French Bobbin
WQ08




Boat Shed
WQ02




Nordic Plank
WQ15




Boardwalk
WQ10




Mocha Legno
WQ25



Mountain Lodge
WQ24




Wine Barrel
WQ03



Log Cabin
WQ04




Natural Oak
WQ16



Woodland Fog
WQ22




Driftwood
WQ21




Weathered Slate
WQ14




Petrified Ash
WQ23




Antique Chest
WQ11



European Larch
WQ17



Fumed Oak
WQ19




Teak
WQ18




Charred Larch
WQ09



Shadow Oak
WQ28




Barn Door
WQ05



Black Walnut
WQ20



Scorched Timber
WQ26



Espresso Oak
WQ27



For questions or additional product information,
visit acoufelt.com.au or call 1800 626 462


Vista, Box Ceiling Frames | January 2026

Colorways


PREMIER




White
WH12




Milkyway
MI74




Ivory
IV11




Pearl
PE21




Valentine
VA70



Quartz
QU67




Stonewash
ST72




Sea Salt
SE57




Platinum
PL04




Almond
AL55




Pistachio
PI25



Turmeric
TU60




Flamingo
FL61



Amethyst
AM69




Periwinkle
PE23



Peacock
PE20




Metal
ME03



Mushroom
MU75



Celery
CE65




Wheat
WH68



Peach
PE19



Lilac
LI13




Marine
MA15




Senchia
SE58




Grey
GR02




Umber
UM54




Wasabi
WA29



Popcorn
PO26




Currant
CU59




Berry
BE06




Azure
AZ05




Oregano
OR18




Charcoal
CH01




Walnut
WA56




Eucalyptus
EU71



Carrot
CA08




Loganberry
LO77




Granite
GR62




Denim
DE09




Kale
KA12




Piano Black
PI24




Slate
SL27




Nori
NO76




Peppercorn
PE22



Shiraz
SH63



Flint
FL64



Midnight
MI16



For questions or additional product information,
visit [acoufelt.com.au](https://www.acoufelt.com.au) or call 1800 626 462




Vista, Box Ceiling Frames | January 2026

Sizes

Standard Heights 25, 95, 165mm H

Standard Widths 610mm W


Standard Length 610mm L



Choose Colorways


Select one colorway for your cubes and one colorway for your backer panel; or one colorway for both. See colorway choices on page 3.

If you're specifying dark colored backer panels, we recommend dark drop ceiling grids (not provided).




Lighting Coordination


610mm x 610mm Grid light




Drop pendant light



Recessed light



Grid mounted light (track, pendant)



For questions or additional product information,
visit [acoufelt.com.au](https://www.acoufelt.com.au) or call 1800 626 462


Vista, Box Ceiling Frames | January 2026

Acoustic Performance

Test Method ASTM C423-23

Mounting Method Type E-560

Test Results NRC 1.30
SAA 1.30



Frequency f (Hz)	125	250	500	1000	2000	4000	NRC
12mm	0.98	1.27	1.35	1.24	1.35	1.33	1.30

What is a Noise Reduction Coefficient (NRC)?

You'll find the NRC rating in the specifications of all of our products. This acronym stands for Noise Reduction Coefficient, and is expressed as a single number, a rating that describes the degree to which acoustic products can absorb sound.

You can use NRC values to understand the overall performance of our acoustic wall and ceiling products. The higher the NRC, the better the product is at soaking up the sound.

Performance Indices: Noise Reduction Coefficient (NRC) results represent the absorption coefficients measured at the one third octave bands at 125, 250, 500, 1000, 2000 and 4000 Hz rounded to the nearest 0.05. Acoustic testing has been performed according to the methods mentioned above. Customization of installation of the product could alter the results. Sound Absorption Average (SAA) indicates the absorption coefficient average for the twelve one-third octave bands ranging between 200 and 2500 Hz.



For questions or additional product information,
visit acoufelt.com.au or call 1800 626 462

Vista, Box Ceiling Frames | January 2026