



WhispaTex

Full Color Panel

acoufelt
making quiet

Product Detail

Product	Full Colour Panel
Application	Wall, ceiling and furniture
Composition	100% polyester
Material	WhispaTex
Recycled Content	55% min
Dimensions	1200 x 2800mm Custom size available upon request
Thickness	9mm +/- 10%

Guarantees

Warranty against defects 12 years*
Light fastness warranty 12 years*

*conditions apply



QuickShip available

Technical Data

Light Fastness	ISO 105-B02, 6-7
Fire Test Method	ASTM E84-17a, Class A EN 13501-1, B-s1, d0

Environmental Attributes

• Every square meter of FilaSorb™ diverts on average approximately 108 x 600ml PET drinking bottles from landfill



Made from 55% min. recycled content




Recycable at end-of-life



ZeroGM

Acoustic Performance

Sound Absorption ASTM C423
NRC 0.35 (no air gap)



Frequency (Hz)	125	250	500	1000	2000	4000	NRC
9mm αs	0.03	0.09	0.16	0.40	0.67	0.79	0.35

Colorways



Coal



Fossil



Ash



Frost



Alabaster



ZeroGM



Apple



Bumble Bee



Lapis



Lavendar



Mint



Navy



Neon Pink



Oak



Orchid



Pine



Tangerine



Indigo



Rust




Snow




Coconut

Mounting Methods


Adhesive Backing



Constructive Adhesive




Z-Clip Mount




Pot Magnet Install

Wall Pot Magnet Install
Metal Plate



Wall Pot Magnet Install
L Plate + Metal Plate



L Plate Wall + Metal
Plate Configuration

○ L Metal Plate × Metal Plate

